


**WATER AND SEWAGE WORKS STUDY  
TOWN OF SOUTH BRUCE PENINSULA  
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

**SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.**

**◆ COMMENT SHEET ◆**

**PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY**



**Please print clearly**

Name: GORDON & MARY FAIR

Mailing Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Email Address: \_\_\_\_\_

**Please return to:**

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

**PLEASE RETURN BY NOVEMBER 8, 2010**

Would you like to be added to our contact list?

Yes

No

*Our Cottage address*

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

*ATTN: Phil Dwyer,*

*We are certainly not in favour of a sewer project at the ridiculous cost to us.*

*We understand that most municipalities are compensated by at least 60 to 70% of the cost by the Provincial & Federal Governments*

*If you can confirm that there is a problem with the septic systems, now in use,*

*it is time to look at other options*

*Gordon H Fair Mary Fair*

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: PAUL FAIR

Mailing Address:

Please return to:

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: tsppppwmanager@bmts.com  
Fax: 519-534-4862

or

Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: mike.meyers@genivar.com  
Fax: 519-376-8008

Email Address:

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes

No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

I am against sewers → no sewers used Paul Fair

## Manager of Public Works

---

**From:** s.farrell4321 s.farrell4321  
**Sent:** Wednesday, November 03, 2010 1:17 PM  
**To:** tsbppwmanager@bmts.com  
**Subject:** addendum process no.3 comment sheet attn. Phil Dwyer

Please include Stephen Farrell and Carolyn Bell Farrell owners of 16 Guelph st. Sauble Beach Town Of South Bruce Peninsula, as being opposed to the sewer project for Sauble Beach Town of South Bruce. If you are presenting a vote to council register 16 Guelph st. as opposed to the project and for option 6, do nothing.

I attended the first meeting on addendum 3 this past summer and was opposed as that time. During that meeting it was suggested the a vote be held and the panel stated that only the council could authorize a vote. I was very surprised to see that a tally of vote, for, against, and undecided was presented at the second meeting on addendum 3. I would require that you explain the process by which the comment sheets were assigned to the different positions. Also was a committee formed to assign the votes and who was on the committee. I would be willing to serve on such a committee as in my discussions with the Bruce County planning department I was told that in the E A process comment sheets are not suppose be be used to hold a vote. Therefore an impartial assessment of the sheets is essential.

I would also like to state that as our property is a seasonal cottage and we do not use it through the winter and we do not know if we actually have any running water or in what quantity it would be available to our lot. Therefore it would seem imprudent to supply sewers to properties before a municipal water system be installed in the area. If you installed municipal water to the areas with poor drinking water the health risks to the housing stock would be eliminated and a need for a sewer on that account would be eliminated. In my discussion with the Bruce County planning department in was my understanding that Sauble Beach was changed to a primary development area base on the addition of sewer and water. Therefore I feel that town water should not be given second priority as that would be a greater benefit over sewers which are not fully used 6 months of the year.

your consideration Stephen Farrell

Thank you for

**WATER AND SEWAGE WORKS STUDY  
TOWN OF SOUTH BRUCE PENINSULA  
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

**SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.**

**◆ COMMENT SHEET ◆**

**PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY**

*Please print clearly*

Name: Stephen Farrell

Mailing Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Email Address: \_\_\_\_\_

**Please return to:**

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

or  
Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

**PLEASE RETURN BY NOVEMBER 8, 2010**

Would you like to be added to our contact list?

Yes  No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

AS COTTAGE OWNERS AT  
16 GUELPH ST SAUBLE BEACH. N0H 2G0  
I STEPHEN FARRELL + MY WIFE CATHLYN BELL  
FARRELL DO NOT SUPPORT SEWERS AT  
SAUBLE BEACH WE CHOOSE OPTION 6.  
THE 2009 FINAL ESR PREFERRED OPITON  
WAS. SEWERS IN DCA (DOWNTOW CORE AREA)  
THE SUMMER MEETING THE PREFERRED OPTION #3  
AND NOW THE PREFERRED OTION HAS BEEN MOVED  
TO #5A WITH NO NEED DEMONSTRATED BY THE REPORT

Presented at the two meetings

WHEN I ATTENDED THE SUMMER MEETING 2010, THE PANEL STATED THAT A VOTE ON THE SEWERS WAS ONLY POSSIBLE IF APPROVED BY COUNCIL. AT THE FALL MEETING OCT 9 2010 A VOTE WAS PRESENTED BASED ON THE COMMENT SHEETS. THIS IS A DISTORTION OF THE PROCESS AS, IN MY DISCUSSIONS WITH THE BRUCE COUNTY PLANNING DEPT. I WAS TOLD THAT THE COMMENT SHEET WERE NOT SUPPOSE TO BE USED TO HOLD A VOTE.

YOU DID NOT PRESENT ANY REASONS WHY THE PREFERRED CHOICE WAS CHANGED FROM #3 OPTION TO #5A OPTION NOR PRODUCED ANY DATA TO DEMONSTRATE A NEED FOR SEWERS BEYOND THE DCA.

BOTH THE GREY BRUCE HEALTH UNIT AND THE MINISTRY OF THE ENVIRONMENT HAVE SUPPORTED SEWERS IN THE DCA (DOWNTOWN SAUBLE) BUT HAVE NOT STATED ANY NEEDS DEMONSTRATED FOR SEWERS OUTSIDE OF THE DCA (APPENDUM 2 REVISED)

PLEASE SEE MY EMAILS TO TSBP W MANAGER  
FURTHER CONCERNS

of Farrell

@bmts.com

## **Marcia Oakley**

---

**From:** Mike Meyers  
**Sent:** November 3, 2010 1:38 PM  
**To:** Marcia Oakley  
**Subject:** FW: addendum 3 comment sheet response to meeting 2

**From:** s.farrell4321 s.farrell4321  
**Sent:** Wednesday, November 03, 2010 1:34 PM  
**To:** Mike Meyers  
**Subject:** addendum 3 comment sheet response to meeting 2

to Michael P.Eng  
Meyers

Please include Stephen Farrell and Carolyn Bell Farrell owners of 16 Guelph st. Sauble Beach Town Of South Bruce Peninsula, as being opposed to the sewer project for Sauble Beach Town of South Bruce. If you are presenting a vote to council register 16 Guelph st. as opposed to the project and for option 6,do nothing.

I attended the first meeting on addendum 3 this past summer and was opposed as that time. During that meeting it was suggested the a vote be held and the panel stated that only the council could authorize a vote .I was very surprised to see that a tally of vote, for, against, and undecided was presented at the second meeting on addendum 3. I would require that you explain the process by which the comment sheets were assigned to the different positions.Also was a committee formed to assign the votes and who was on the committee. I would be willing to serve on such a committee as in my discussions with the Bruce County planning department I was told that in the E A process comment sheets are not suppose be be used to hold a vote.Therefore an impartial assessment of the sheets is essential.

I would also like to state that as our property is a seasonal cottage and we do not use it through the winter and we do not know if we actually have any running water or in what quantity it would be available to our lot. Therefore it would seem imprudent to supply sewers to properties before a municipal water system be installed in the area. If you installed municipal water to the areas with poor drinking water the health risks to the housing stock would be eliminated and a need for a sewer on that account would be eliminated. In my discussion with the Bruce County planning department in was my understanding that Sauble Beach was changed to a primary development area base on the addition of sewer and water. Therefore I feel that town water should not be given second priority as that would be a greater benefit over sewers which are not fully used 6 months of the year.

Thank you for your consideration Stephen Farrell

## Marcia Oakley

---

**From:** Mike Meyers  
**Sent:** November 3, 2010 2:46 PM  
**To:** Marcia Oakley  
**Subject:** FW: cost allocation capital cost Sauble sewer

**From:** s.farrell4321 s.farrell4321  
**Sent:** Wednesday, November 03, 2010 2:41 PM  
**To:** Mike Meyers  
**Cc:** [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
**Subject:** cost allocation capital cost Sauble sewer

To Michael Meyers P.Eng

On the 20101009 Meeting Handout - tables.pdf the summary of capital costs section presented at the second fall sauble sewer addendum 3 meeting, lists land costs of \$450,000 for the municipal road purchase. As the municipal council has rescinded the by law which would have allowed the land to be used for a treatment plant and the plan is to place the plant building somewhere else, the land no longer qualifies as a cost to be allocated to benefiting properties under part 12 of the Municipal Act. I understand the property is now owned by the town of South Bruce Peninsula and the benefiting property owners are all property owners in the Town of South Bruce. Please could you remove this land cost from the Sauble sewer project costs.

Thank you Stephen Farrell cottage owner Sauble Beach

## Manager of Public Works

---

**From:** s.farrell4321 s.farrell4321  
**Sent:** Thursday, November 04, 2010 2:30 PM  
**To:** tsbppwmanager@bmts.com  
**Cc:** mike.meyers@genivar.com  
**Subject:** sauble sewer project

For the attention of Phil Dwyer manager of public works

The power point presentation 20101009 of the second addendum 3 meeting states on slide 15 that " While not conclusive, periodic contamination of inshore beach water may be the result of septic systems". The original 20010630 4262-esr-final.pdf, the Water and sewage works study Environmental study report, states on page 2-9 " The E. coli loading rate for the Sauble river is over 10 times higher than the total loading produced by the 26 drains along the lakeshore." also the public meeting minutes of the public meeting held on Oct. 12 1996 as part of the EA process states " Based on the information of the Conservation Authority data the loading from all beach drains together represent about 1/10th of the total loading going into the lake front area. So in essence 9/10ths is coming from the river. The data referenced is from the CURB Program studies done by the Grey Sauble Conservation Authority. Data is for E.coli." As at both addendum 3 meeting a lot of the justification for the sewers was the protection of the recreation water and economic impacts on the town, and the statements of some members of the public that there is no proof that the septic systems cause the beach water pollution, I feel that there is a false linking of the beach closures to the septic systems. This continued bias on the part of the addendum report writers in suggesting that the septic systems are the cause of the beach water pollution should be corrected.

Thank you for your consideration Stephen Farrell



## Manager of Public Works

---

**From:** s.farrell4321 s.farrell4321  
**Sent:** Thursday, November 04, 2010 3:59 PM  
**To:** tsbppwmanager@bmts.com  
**Subject:** comment sheet addendum 3

To Phil Dwyer

As a cottage owner at Sauble Beach for 7 years I first learned of the Water and sewage works study this past summer through signs posted around

Sauble Beach. I attended the First public consultation meeting this past summer and learned that the recommended option was to be option # 3.

I have now reviewed the latest information from the Oct. 9 2010 fall meeting presentation and the preferred option is now option # 5a .Looking back

approximately one year the Final ESR report had scaled back the preferred option the the Dca or option one after consultations with part 2 interested parties.

In the letter or June 8th 2008 from the ministry of the environment to Mr. Randy and Ms. Brenda Rodgers letter # ENV1283Mc-2008-2473

John Gerretsen Minister of the Environment writes

"You raised concerns about whether the town has demonstrated a need for the Project, in particular whether there is sufficient data regarding

existing ground water quality and septic conditons to confirm the nature and extent of the problem. The need for the Project was first established

previously in the Environmental Study Report (ESR). Through water sampling programs in 1995 and 1996 as part of the planning as part of the ESR,

the town determined that there exists a ground water contamination problem. It was determined subsequently by the Town that only about four

percent of water samples outside the Development Control Area (DCA) potentially indicated microbiological contamination. Accordingly,

the area to be serviced was scaled down to the DCA as a part of Addendum 2-revised."

Also in the same letter

"The need for the Project was confirmed more recently through a separate inspection carried out by the Grey Bruce Health Unit (GBHU).

The GBHU inspected 241 properties in the downtown Sauble Beach area between June and November 2007. The inspection supports the need for the

Project as it concludes approximately two-thirds of the inspected septic systems are operating at high risk or approaching high risk. The GBHU

also indicated it supports the Town's efforts to put a sewer system in the Downtown Sauble Beach and to expand and to connect more users

to the existing communal water system"

As the Ministry of the Environment and the GBHU have only accepted a need for sewers in the DCA (option # 1 ) as proposed in the 2009 final ESR

I request that you demonstrate a need to expand beyond option #1 as the selection of option # 3 in the summer meeting 2010 was not explained nor

the process by which it was chosen clear, nor was the switch to preferred option #5a in the fall Oct. 9 2010 explained.

As a need for sewer outside the DCA has clearly not been demonstrated you should return to option #1 as the cost per lot are about the same.

Thank you for your consideration Stephen Farrell 16 Guelph st SAuble Beach

WATER AND SEWAGE WORKS STUDY  
TOWN OF SOUTH BRUCE PENINSULA  
ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: ANDREW FAUX

Please return to:

Mailing Address: \_\_\_\_\_

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

2186 MUNNS AVE

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

OAKVILLE, ON

L6H 3T8

Email Address: \_\_\_\_\_

Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes  No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

EMPHATICALLY AGAINST THE OPTION PRESENTED  
IT WOULD REPRESENT A LEVY/TAX OF 15-20%  
OF THE VALUE OF THE PROPERTY. THIS IS  
EXCESSIVE IN THE EXTREME  
OUR PROPERTY WAS PURCHASED MAY OF THIS YEAR 2010  
THE SEPTIC TANK DRAINED & PROFESSIONALLY INSPECTED  
& FOUND TO BE IN GOOD WORKING ORDER. THE WELL  
WATER WAS TESTED & FOUND SAFE FOR DRINKING. WE SUGGEST  
YOU ENSURE ANY OFFENDING PARTIES BE RESPONSIBLE CITIZENS  
& NOT BURDEN THE ENTIRE COMMUNITY WITH ABSURD TAXATION

If more space is required for your comments, please use and attach an additional page(s).

WATER AND SEWAGE WORKS STUDY

TOWN OF SOUTH BRUCE PENINSULA

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: GEORGE FEGAN

Mailing Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Email Address: \_\_\_\_\_

PLEASE RETURN BY NOVEMBER 8, 2010

Please return to:

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

or Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

Would you like to be added to our contact list?

Yes

No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

WE ARE SEASONAL RESIDENTS OF SANDY BEACH. OUR HOUSE AND SEPTIC SYSTEM IS 8 YEARS OLD. WE DO NOT NEED SEWERS. BASED ON THE ELECTION RESULTS AND THE FACT THAT THE TOP THREE VOTE GETTERS ARE OPPOSED TO THIS I WOULD SUGGEST THE MAJORITY OF RESIDENTS DON'T WANT THIS. WE URGE YOU TO STOP THIS WASTE OF MONEY.

If more space is required for your comments, please use and attach an additional page(s).

WATER AND SEWAGE WORKS STUDY


TOWN OF SOUTH BRUCE PENINSULA

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY



Please print clearly

Name: MRS RITA FINCH.

Mailing Address:

Email Address: N/A.

Please return to:

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: tsbppwmanager@bmts.com  
Fax: 519-534-4862

or  
Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: mike.meyers@genivar.com  
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes  No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

Sewers are needed but not at this price. Consider seniors on a fixed income. Dumping anything in Lake Huron is totally unacceptable. Remember no beach - no business!

WATER AND SEWAGE WORKS STUDY  
TOWN OF SOUTH BRUCE PENINSULA  
ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m. to 4:00 p.m.

RECEIVED  
NOV 11 2010  
TOWN OF  
SOUTH BRUCE PENINSULA

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: Eugene Fitzpatrick

Please return to:

Mailing Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

Email Address: \_\_\_\_\_

or Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes  No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

Sewers = disposing of "Septic" waste (toilet, bed, etc.)  
\_\_\_\_\_ = landfill sites = leaching, = water problems  
broken "exit" sewage pipes = ??  
sewers = building by-laws changing = sky rises + ~~casinos~~ casinos  
= big city problems. big contractors = local unemployment  
for "bondymen" - We have a "heaven" why change it?

Mike Meyers

WATER AND SEWAGE WORKS STUDY  
TOWN OF SOUTH BRUCE PENINSULA

RECEIVED  
OCT 28 2010

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: Chris Fitzpatrick

Please return to:

Mailing Address: \_\_\_\_\_

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

\_\_\_\_\_

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

Email Address: \_\_\_\_\_

or  
Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes

No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.


Sewers are not essential at this  
time - <sup>much</sup> more of a subsidy  
is needed from the government  
before they are installed.  
It is too costly -!  
Only <sup>land</sup> developers gain with sewers.

**WATER AND SEWAGE WORKS STUDY  
TOWN OF SOUTH BRUCE PENINSULA  
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

**SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.**

**◆ COMMENT SHEET ◆**

**PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY**



*Please print clearly*

Name: ROBERT N. FISHER

**Please return to:**

Mailing Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

Email Address: \_\_\_\_\_

or  
Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

**PLEASE RETURN BY NOVEMBER 8, 2010**

Would you like to be added to our contact list?

Yes       No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

See Attached ~~2~~ pages.  
(3)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

We have been a seasonal resident of Sauble Beach for over 30 years and **we are totally opposed to the proposed sewer system in it's current format.** Financing in it's current form is totally unacceptable. I was told approximately 2 to 3 years ago, when I talked to someone at the Warton Office, who was aware of the project , that the project would only be going ahead if it received funding of 1/3 Federal, 1/3 Provincial and 1/3 Sauble Beach rate payers. This project has not received any where near the adequate funding this Community deserves and should be halted immediately and it should not be re-introduced to the public until satisfactory and reasonable funding has been achieved and put into place. I've heard current funding would cost each tax payer anywhere from \$30,000.00 to \$45,000.00 plus an additional cost for hook-up and decommissioning of our septic systems, plus an additional tax increase per year. It's also been proposed **an additional fee for large properties** even if the lot **can't be severed** as is the case with our lot. This is another flawed idea in the overall program.

This is a tremendous and unwarranted debt load to be forced on seniors, Pensioners, seasonal and full-time residents of our Community.

There is no concrete evidence by far that the existing septic systems now in place aren't working more than adequately. It would be **far less expensive** to implement a septic system inspection. If a system is found to be inadequate or faulty, it must be repaired, replaced or a holding tank installed at the owner's expense.

Neither the Federal nor Provincial Governments are holding a gun to the Head of Local Government Officials to implement this project. This leads me to believe this sewer system project is being pushed mostly by those with business interests such as restaurants, developers, real estate brokers and agents and anyone who can write off on their taxes the capital expenditures of the sewer system and make a profit, leaving the average tax payer with no tax write-off and in fact subsidizing the interests of the business community.



**Page 2 of 3**

In my estimation, even the payment plan that has been suggested spread over 20 years is flawed. Between a higher tax rate that is sure to come, plus the payments for the sewer program, will leave my tax payments astronomical. Even if I spread the cost of the sewer system of possibly \$40,000.00 over 20 years and I pay it off in 10 years, I would still have to pay the interest on the remaining 10 years. This is just another slap in the face making someone pay interest on money not owing after all of the money we just paid over 10 years.

I was told by you personally, a number of months ago, that the value of our cottage will go up due to the sewer hook-up. That might be true in the long term, but if I'm selling my cottage because I can't afford the program along with hundreds more like me, the glut on the market will only drive the price of cottages down. It will be like driving from Southampton to Sauble Beach and looking at the number of cottages for sale on Native land.

A huge concern of ours is where the sewage treatment plants are located in the Bruce Forests and at the tip of the Sauble River where it will have a potential for odor in the nearby populated area of the beach. Another concern is the pumping station almost located on the beach at Fifth and Second Avenue. This whole sewage program is a huge financial and ecological mistake and has a potential for disaster.

Everything seems to be located in the North end of Sauble Beach with treated sewage being discharged with its increased levels of **e.coli** and other **contaminants** just meters away from where people are swimming.

I wonder what the vacationing public would think of coming to Sauble Beach and swimming just meters away from an affluent outfall and discharge outlet location? Most times the winds comes in from the West and waves roll in and break on shore. Does this mean it's bringing in with it treated waste water? This sounds to me, like we're swimming in a treated septic tank. Nice way to spend a sunny, beautiful summer afternoon.

**Page 3 of 3**

I simply love Sauble Beach the way it was and the way it is now. I don't want condos, apartments, buildings, hotels, traffic, bars, etc. etc. etc. I can have all of these things in the big city. I come to Sauble Beach for peace, tranquility and getting back to nature. If anybody wants the action of the above, then stay in the big City. I am not opposed to limited well planned growth of a small community.

**Put a stop to the sewers.** What appears to be a Chamber of Commerce backed initiative along with big business and Commercial interests is adding to the expense of all the average Sauble Beach residents. I reiterate, without proper funding, **STOP THIS PROJECT** until it can be put in place at a reasonable cost to tax payers.

As it is now, too many people will be hurt. **This project is not essential and necessary. STOP!**

Mr. & Mrs. Robert N. Fisher

Cottage address:-

*Mr. & Mrs. Robert Fisher*

**WATER AND SEWAGE WORKS STUDY  
TOWN OF SOUTH BRUCE PENINSULA  
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

**SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.**

**◆ COMMENT SHEET ◆**

**PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY**

*Please print clearly*

Name: Ana de Fonseca

Please return to:

Mailing Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppoymanager@bmts.com](mailto:tsbppoymanager@bmts.com)  
Fax: 519-534-4862

Email Address: \_\_\_\_\_

or Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

**PLEASE RETURN BY NOVEMBER 8, 2010**

Would you like to be added to our contact list?

Yes  No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

I am the owner of the property  
located at 431 Manley Crescent  
Sauble Beach Ontario

I am in favor of the water  
and sewage upgrades.

[Signature]

## Manager of Public Works

---

**From:** Freeman, Linda (JUS)  
**Sent:** Monday, November 08, 2010 12:44 PM  
**To:** tsbppwmanager@bmts.com  
**Subject:** Water and Sewage Works Study

Mr. Dwyer:

As an owner of a property at Sauble Beach, attending the public meetings, and reading materials provided, I cannot find any indication or proof that sewers are necessary to be installed at Sauble Beach. Comments were made that it is the business people downtown that want them - and if they do, let them pay for it. Of course, I listen to these comments and consider them in the appropriate light. It may be true, or perhaps it's been too strongly stated. Regardless, no one has shown proof or documentation of this project being required.

However, the price tag associated with the sewer installation will affect many people. It certainly would be difficult for a lot of individuals to come up with all the extra money to pay for this. I would be agreeable to being required to have the septic system approved by appropriate personnel on a yearly basis, or every two years, or every three years - provided, of course, that the cost of this is not prohibited by the expense of it for taxpayers. Our taxes are substantial, considering that a lot of us do not access the school system, and a lot of the taxpayers are really "seasonal" and do not use the cottages from early fall to late spring.

Thank you.

Linda Freeman

Email address

## Marcia Oakley

---

**From:** Mike Meyers  
**Sent:** October 14, 2010 8:28 AM  
**To:** Marcia Oakley  
**Subject:** FW: Water & Sewage Works Study

**From:** Manager of Public Works [<mailto:tsbppwmanager@bmts.com>]  
**Sent:** Tuesday, October 12, 2010 8:18 AM  
**To:** Mike Meyers; 'Christine Beard Laaber'  
**Subject:** FW: Water & Sewage Works Study

Christine  
Add to contact list please

**From:** Ken and Mary Frook  
**Sent:** Sunday, October 10, 2010 10:27 PM  
**To:** [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
**Subject:** Water & Sewage Works Study

ATTN: Phil Dwyer, Manager of Public Works

FROM: - Ken & Mary Frook

We would like to be added to the Contact List.

COMMENTS: - We attended the meeting on Saturday, Oct. 9/10.  
We are **not** in favor of the sewage system proposal as presented as we have not been convinced that there is a need for it. Inspections of existing septic tanks and beds should be ongoing.

Sincerely,  
Ken & Mary Frook

WATER AND SEWAGE WORKS STUDY


TOWN OF SOUTH BRUCE PENINSULA

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY



Please print clearly

Name: Henry Fuchs

Please return to:

Mailing Address: \_\_\_\_\_

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

\_\_\_\_\_

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

Email Address \_\_\_\_\_

or  
Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes

No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

According to the information provided at this meeting, the proposal of the sewage works is elementarily flawed. It was admitted by Mr. Meyers that there is no proof that Sauble Beach is contaminated as a result of septic systems. This is a manufacture crisis with no factual basis and therefore unacceptable to any further action without answering this fundamental question that would have saved this exorbitant propo

If more space is required for your comments, please use and attach an additional page(s).