

Marcia Oakley

From: Mike Meyers
Sent: October 14, 2010 8:28 AM
To: Marcia Oakley
Subject: FW: Oct 9th info

From: Fraser/Kennedy
Sent: Tuesday, October 12, 2010 6:38 AM
To: Mike Meyers
Subject: Oct 9th info

Within the supplied data on Option 5A there is \$750,000 under other costs for First Nations, could I have the details please.

Don Kennedy
Sauble

Manager of Public Works

From: Fraser/Kennedy
Sent: Saturday, November 06, 2010 12:43 PM
To: Phil Dwyer
Cc: CAO; Michael Meyers; Chris Thomas; Janice Jackson; Jay Kirkland; Jim Turner; John Close; Karen Klages; Marilyn Bowman; Matthew Standen; Paul McKenzie
Subject: Comment Sheet for the Oct 9th Sewage Meeting

1 household

Don Kennedy and Susan Fraser

NO to sewers because....

1) Lack of quantified empirical data to demonstrate "the" problem, even technical data for Option 1 is nebulous, and the beach has never been closed, only posted after a storm, so says Public Health when I discussed it with them.

2) Unaffordable, promised grants = \$6,250,000 (and that was for the Clearford system, not big pipe). Option 1 = 49% funding, Option 5A = 9% grant money. Most Options cost about \$25,500, plus \$800/yr maintenance, plus say \$6000 to de-commission and hookup. As a retiree here in Sauble, I cannot afford this kind of unjustified dream.

3) "If affordable", most council candidates ran on these 2 words, but what's affordable to me and what's affordable to the business person in the core area, are 2 different things. If the downtown core needs sewers for commercial expansion, then let them pay for them, and let us not hide behind "e-coli"

4) Whether the \$6,250,000 promised grant is transferable from the Clearford system to Genivar's big pipe system is also questionable, according to my conversation with Larry Miller. He also indicated that infrastructure monies are gone, and the town has not applied for any other grants.

So here the new council sits with, maybe \$6,250,000 or maybe not, looking at what is now a \$70,000,000 project funded at maybe 9%, that hasn't been quantified. To many "maybe's" for me.

NO to sewers !!

**WATER AND SEWAGE WORKS STUDY
TOWN OF SOUTH BRUCE PENINSULA
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: Sue Kenney & Jim Martin

Please return to:

Mailing Address: _____

Town of South Bruce Peninsula
Box 310, 315 George Street
WARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

Email Address: _____

or
Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above. Benefit

XI think someone here is making \$\$\$ on this for their own benefit

We do not think that sewers are needed at
Souble Beach, when the yearly population is over
4000 people it may be the time. It is a costly project
for mainly summer residents, and it is differently
not needed in the winter. The Beach was contained this
summer due to the movie shot on the Beach. There is no
evidence ~~of~~ ^{that} the specific leaking. If it was
needed for pollution the Ont. Govt would be involved & they
would help fund, seeing their not, I don't think there is a problem
The average cottage owner could NOT afford the cost for 3 months

If more space is required for your comments, please use and attach an additional page(s).

Also would the council chair with an - initial action and if can we do

Manager of Public Works

From:
Sent: Friday, October 22, 2010 5:28 PM
To: tsbppwmanager@bmts.com
Subject: No sewers.

We are totally against the sewers being installed at sauble beach

Ron and donna kieswetter
Sent on the TELUS Mobility network with BlackBerry

WATER AND SEWAGE WORKS STUDY
TOWN OF SOUTH BRUCE PENINSULA

RECEIVED
NOV 05 2010

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m. to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: KEVIN KILBY

Mailing Address: _____

Email Address: _____

Please return to:

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

or
Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes

No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

• ABSOLUTELY NO SEWERS IF COSTS CAN
NOT BE CONTROLLED.

• WHY NOT WATER IF CONSIDERING SEWER.


• NO DUMPING OF ANY MATERIAL INTO
SAUBLE RIVER

**WATER AND SEWAGE WORKS STUDY
TOWN OF SOUTH BRUCE PENINSULA
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY



Please print clearly

Name: BEVERLY KIRKLAND

Mailing Address: _____

Email Address: _____

Please return to:

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

or Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

WE ARE STILL INTERESTED IN SEWERS AT A REASONABLE COST TO
PROPERTY OWNERS. A DECISION MUST BE MADE SOON AS COSTS
CONTINUE TO RISE. CURRENTLY OUR AVERAGE COST IS \$25,000.-
HOWEVER IN YOUR LETTER TO US DATED 14 SEP. 2009 THE
TOTAL COST WAS TO BE \$7,257.-. POSSIBLY OPTION #1 SHOULD
AGAIN BE CONSIDERED OR MAKE A MORE SERIOUS APPEAL
TO FEDERAL AND PROVINCIAL GOVERNMENTS FOR INCREASED
FUNDING FOR THE CURRENT PROPOSAL.

Beverly Kirkland

Manager of Public Works

From: your anal
Sent: Monday, November 08, 2010 11:58 PM
To:
Subject: No Sewers at Sauble

No to Sewers at Sauble of any kind.

Robert Knapp

WATER AND SEWAGE WORKS STUDY

TOWN OF SOUTH BRUCE PENINSULA

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

RECEIVED
OCT 22 2010
SOUTH BRUCE PENINSULA

Please print clearly

Name: Mr. Clair Knight

Mailing Address: _____

Email Address: _____

Please return to:

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

or
Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

Downtown area needs sewer and not the rest of Sauble yet.

Do downtown area first but put in pipe etc out in lake large enough for all of Sauble Beach why only Sutherland Gene. The only one! must be 30 or 40 other contractors


Oakville & Mississauga they use a vacuum system no need for pumps

WATER AND SEWAGE WORKS STUDY

TOWN OF SOUTH BRUCE PENINSULA

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.



◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

*-2 PROPERTIES

Please print clearly

Name: TIM & RODINA KOKER

Please return to:

Mailing Address:

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

Email Address:

or
Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

NOTE: WE OWN A PROPERTY ON CAMPBELL CRESCENT - SO THESE

COMMENTS WILL BE COUNTED TWICE.

SOMEONE ON STAFF SHOULD REVIEW THE COMMENTS

& NOT GENIVAR. THEIR CONCLUSIONS ARE ADMITTIVELY

SUBJECTIVE.

* WE DO NOT WANT SEWERS. *

THERE IS NO PROOF THAT THE SEPTIC SYSTEMS

ARE CAUSING A PROBLEM.

WHY NOT CHECK SEPTIC SYSTEMS IN THE

DOWNTOWN CORE FIRST. & IF NECESSARY

(over)

If more space is required for your comments, please use and attach an additional page(s).

UPGRADE THEM OR REPLACE WITH HOLDING TANKS.
EXCEPT FOR THE DOWNTOWN AREA, ANY PROPERTIES
EAST OF THE SAUBLE FALLS PARKWAY SHOULD NOT
BE CONSIDERED IN ANY STUDY. WE HAVE NO
PROBLEMS WITH DRINKING WATER & SEWAGE.

THE MAYOR, COUNCIL, & GENIVAR HAVE NOT DONE
A COMPETENT JOB ON THIS ENTIRE ISSUE.

THE MAYOR & COUNCIL ARE GOING, & GENIVAR
SHOULD BE OUSTED AS WELL. THEY HAVE ALREADY

DECEIVED EVERYONE BY INCREASING THE SIZE OF
THE THEN PROPOSED TREATMENT PLANT. WHAT'S NEXT?

THEY HAVE A VESTED INTEREST IN THIS ENTIRE
ISSUE, & DID NOT DO A PROPER ECONOMIC STUDY.

IN THEIR OWN WORDS - "A PIPE & PUMP GUY".

I BELIEVE THEY DID NOT STUDY THE RIVER IN THE
SUMMER, WHEN THE FLOW IS VERY LOW. THIS IS WHEN
COTTAGES & CAMPGROUNDS ARE FULL. THE WEEKEND
USAGE WILL BE HIGHER, BUT THE MAJORITY OF
VISITORS ARE DAY-TRIPPER'S WHO WILL NOT BURDEN
ANY TREATMENT SYSTEM. THEY URINATE & DEFECATE
IN THE LAKE & THE DUNES.

IF A SEWAGE TREATMENT PLANT IS TO BE CONSIDERED, THEN LOOK AT THE FOLLOWING COMMENTS:

- FULL GOVERNMENT FUNDING. TO SAY THE COST OF \$40,000 IS AFFORDABLE IS RIDICULOUS.
- DETERMINE ALLOCATION OF COSTS BETWEEN HOMEOWNER, BUSINESSES, CAMPGROUNDS, & FUTURE EXPANSION. THEIR ARE PROPERTY OWNERS WHO WANT EXPANSION PAID FOR BY SMALL PROPERTY OWNERS.
- WITH THE TOPOGRAPHY, PUMPING STATIONS ARE APPARENTLY NECESSARY - EVEN SOME INDIVIDUAL ONES. THIS IS UNFAIR, FOR A HOMEOWNER TO BUY A PUMP & HOLDING TANK - AT A COST OF \$8000, & RUN IT & MAINTAIN IT. THESE PUMPS ARE PRONE TO MAINTENANCE ISSUES. & IN SOME JURISDICTIONS ARE NOT ALLOWED.
- DO NOT WASTE OUR MONEY - REMEMBER THE \$450,000 LAND PURCHASE FOR NOTHING!
IT IS OUR MONEY, NOT THE MAYOR'S OR COUNCIL'S MONEY.

Jai K

Bodina Koker

**WATER AND SEWAGE WORKS STUDY
TOWN OF SOUTH BRUCE PENINSULA
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: JEFF KORTEKAAS

Mailing Address: _____

Email Address: _____

Please return to:

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

or
Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

WE OWN # 11 LONDON ST.

17 LONDON ST

- WE ARE IN FAVOR.

- OPTION # 5A

- LAKE Discharge

- TREATMENT LOCATION # 2

**WATER AND SEWAGE WORKS STUDY
TOWN OF SOUTH BRUCE PENINSULA
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m. to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: Gerry Kraemer

Please return to:

Mailing Address: _____

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

Email Address: _____

or Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

Do the proper testings to find out if and what
septic systems are polluting the lake, then
fix or replace faulty systems at the owners
expense.

I cannot believe any municipality ~~we~~ would
even consider a project of this size without
proper funding in place.

This decision on sewers must be made by the
property owners in Sauble Beach Only

I will vote NO

If more space is required for your comments, please use and attach an additional page(s).

FAX

To: <i>Town of South Bruce Peninsula</i>	Fax Number: <i>519-534-4862</i>
Date: <i>Nov 8/10</i>	
From: <i>Dawn Kummer</i>	
Number of pages: <i>1</i> + cover	

Message:

Att'n: Phil Dwyer, Manager of Public Works

Please include these comments with others received.

*Thanks
Dawn*

Return Fax Numbers

Disclaimer: This facsimile transmission is intended for the addressee(s) indicated above. It may contain information which is privileged, confidential or otherwise protected from disclosure under the Municipal Freedom of Information and Privacy Protection Act. Any review, dissemination, or use of this transmission or its contents by persons other than the addressee(s) is strictly prohibited. If you have received this message in error, please notify us immediately by telephone (collect if necessary), then please shred the message.

After hours, weekends and holidays, call

WATER AND SEWAGE WORKS STUDY

TOWN OF SOUTH BRUCE PENINSULA

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

Please print clearly

Name: Howard & Dawn Kummer Please return to:

Mailing Address:

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

Email Address:

or Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

1) The study is wrongly named since it is only directed to sewage discharge & nothing to do with potable water supply

2) If a sewage treatment plant is built
a) It should be built on existing town land & discharged into the Sauble River, if adequate flow is available.
b) It should also be built with easy expansion capabilities for future expansion when required.

3) Sewers should only be required for first and second or third sections as your study showed with user paying their own expenses.

Thanks

**WATER AND SEWAGE WORKS STUDY
TOWN OF SOUTH BRUCE PENINSULA
ADDENDUM PROCESS NO.3 - PUBLIC MEETING**

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY

RECEIVED

OCT 20 2010

TOWN OF
SOUTH BRUCE PENINSULA

Please print clearly

Name: ANDY KUSZNI'R

Mailing Address: _____

Email Address: _____

Please return to:

Town of South Bruce Peninsula
Box 310, 315 George Street
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works
Town of South Bruce Peninsula
Email: tsbppwmanager@bmts.com
Fax: 519-534-4862

or
Mr. Michael R. Meyers, P.Eng.
Genivar Consultants LP
945 3rd Avenue East, Suite 212
Owen Sound, ON N4K 2K8
Email: mike.meyers@genivar.com
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

I Support Option 6 WHICH WAS
NOT PRESENTED) AT THE Oct 9, 2010
MEETING WHICH IS TO HAVE EACH
SEPTIC SYSTEM INSPECTED AND CORRECTIVE
ACTION TO BE TAKEN IF REQUIRED)

Thank you
A. Kuzni'r Oct 14/2010

If more space is required for your comments, please use and attach an additional page(s).

Manager of Public Works

From: Heather Gerrie
Sent: Wednesday, October 20, 2010 2:34 PM
To: tsbppwmanager@bmts.com
Subject: Proposed Pumping station

To Whom It May Concern:

Re: John Strachans letter dated October 18th; Pine Grove Property owners Sauble Beach.

This email is to advise that John and Heather Kwant of 529 Lakeshore Road North is in total agreement with Mr. Strachans letter. Please give his letter very serious consideration.

From the desk of John Strachan , representing Pine Grove Park Property Owners of Sauble Beach, Ontario, exercising the right to "direct the best use of the Boulevard or "playground " " as set out and imbedded in the original family deeds and shown on Pine Grove Park subdivision site plan, R. McDowell, O.L.S. June 1, 1932.

Be it publicly known that the Pine Grove Property Owners of Sauble Beach, Ontario have decided that the installation of the proposed pumping station (Rev 5a) at Second Avenue North and Fifth Street and any redevelopment of the Pine Grove Park Boulevard, inclusive of any sewage lines, pipes, erection of buildings, fencing, installations of equipment and installation of public and/or private washrooms are not in the best interest of property owners in the Pine Grove Park subdivision.

This "Boulevard" is a highly sensitive wetland area and is home to many delicate and rare species, some of which are protected and endangered. (Please refer to previous correspondence from Mary Ransom, October 12, 2010).

Please address our concerns at the Committee of the Whole meeting on Tuesday, October 19. 2010.

Please reply before the Committee of the Whole meeting on October 19th, 2010 to John Strachan,

Thank you in advance,

John Strachan

Yours truly,

Heather Gerrie Kwant

President and CEO

11/11/10
11/11/10