

# WATER AND SEWAGE WORKS STUDY

## TOWN OF SOUTH BRUCE PENINSULA

### ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

#### ◆ COMMENT SHEET ◆

**PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY**

Please print clearly

Name: A. J. ZALEWSKI

Mailing Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Email Address: \_\_\_\_\_

Please return to:

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: [tsbppwmanager@bmts.com](mailto:tsbppwmanager@bmts.com)  
Fax: 519-534-4862

or  
Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: [mike.meyers@genivar.com](mailto:mike.meyers@genivar.com)  
Fax: 519-376-8008

**PLEASE RETURN BY NOVEMBER 8, 2010**

Would you like to be added to our contact list?

Yes

No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

We do not agree with proceeding  
forward with the planned sewer system  
until further due diligence is undertaken  
to determine the sources of the e-coli-  
contamination.

We understand from recent public meetings  
that DIRT testing is the best means to  
accomplish the above, hence in our opinion  
this should be done first, prior to any  
commitment to a sewer system.

If more space is required for your comments, please use and attach an additional page(s).

WATER AND SEWAGE WORKS STUDY


TOWN OF SOUTH BRUCE PENINSULA

ADDENDUM PROCESS NO.3 - PUBLIC MEETING

SATURDAY, OCTOBER 9, 2010, 10:00 a.m. to 12:00 p.m. and 2:00 p.m to 4:00 p.m.

◆ COMMENT SHEET ◆

PLEASE ONLY SUBMIT ONE COMMENT SHEET PER PROPERTY



Please print clearly

Name: DON & KATE ZIMMER

Please return to:

Mailing Address: [REDACTED]

Town of South Bruce Peninsula  
Box 310, 315 George Street  
WIARTON, ON N0H 2T0

[REDACTED]

[REDACTED]

ATTN: Phil Dwyer, Manager of Public Works  
Town of South Bruce Peninsula  
Email: tsbppwmanager@bmts.com  
Fax: 519-534-4862

[REDACTED]

Email Address: d.zimmer@36telco.com

or  
Mr. Michael R. Meyers, P.Eng.  
Genivar Consultants LP  
945 3<sup>rd</sup> Avenue East, Suite 212  
Owen Sound, ON N4K 2K8  
Email: mike.meyers@genivar.com  
Fax: 519-376-8008

PLEASE RETURN BY NOVEMBER 8, 2010

Would you like to be added to our contact list?

Yes

No

We would appreciate any comments you may have on the project. Please note that you are not restricted to submitting your comments using this comment sheet form, but you may also e-mail or mail your comments in writing to either of the addresses provided above.

Do we need sewars??

PROBABLY - especially in the downtown area.

ARE WE POLLUTING THE BEACH WITH OUR FAULTY SEPTIC SYSTEMS??

PROBABLY NOT - LETS FIND OUT.

LOOK AT PORT ELGIN & KINCARDINE WHO HAVE SEWARS -

THEIR BEACHES HAVE BEEN CLOSED MORE THAN OURS.

WE MOVED TO SAUBLE TO RETIRE AND "AFFECTIONALLY" CALLED IT "OUR LITTLE PIECE OF HEAVEN"

YOU ARE MAKING IT "OUR LITTLE PIECE OF HELL"

WE PAY TAXES - WHICH SHOULD INCLUDE WATER, SEWARS & Garbage.

NO NO - We pay for WATER

- WE PAY FOR GARBAGE TAGS

- NOW YOU WANT US TO PAY FOR SEWARS

WE ARE NOT RICH AND THIS IS GETTING RIDICULOUS.

NEXT, WE WILL HAVE TO PAY TO PARK OUR CARS ON OUR OWN DRIVEWAY -> WE CAN'T GO TO THE BEACH & PARK FOR FREE TO LET OUR GRANDCHILDREN PLAY

THE BOTTOM LINE IS THAT WE CAN'T AFFORD SEWARS

If more space is required for your comments, please use and attach an additional page(s).

WE CHOOSE OPTION 6 UNTIL SEWERS COME AT AN AFFORDABLE PRICE.

- UNTIL THEN

- DO A SEPTIC INSPECTION PROGRAM STARTING AT THE DOWNTOWN CORE.

- IDENTIFY WHERE THE CONTAMINATION OF THE BEACH IS COMING FROM.

- CONTINUE LOBBYING THE GOVT. FOR MONEY.